

# P11S-P11F

# Duo PCI-E to M.2 (NGFF) Extender Board


## Product > Extender Board > P11S-P11F



### **First Impression**

M.2 stands for Next Generation Form Factor which is invented for PCI-SIG by Intel and it is developed for flat and high-efficiency equipment such as Ultrabook<sup>™</sup> or Tablet PCs. It is a natural transition from the Mini Card and Half Mini Card to a smaller form factor in both size and volume which supports multiple function add-in cards/modules including: Wi-Fi, Bluetooth, global navigation satellite systems, near field communication, Hybrid digital radio, wireless gigabit alliance (WiGig), wireless wide area network and solid-state storage devices. Also adds functionality to USB 3.0, display Port, SDIO and SSD-PCIe *The P11S-P11F adapter is designed for desktop/Laptop PCs that convert Duo PCI-E cards*.

You can insert two PCI-E cards to this adapter.



TEL:+886-2-7736-0128 FAX:+886-2-7736-0126 Copyright©2009-2013 Bplus Tech. Corporation. All Rights Reserved sales@bplus.com.tw www.Bplus.com.tw

9F-1,NO.88,ZHOU-TZYY ST., NEI-HU,TAIPEI,TAIWAN,R.O.C



### Function


- Allows user to use two PCI-E Card to M.2 Socket in the Desktop or Laptop.
- As PCI Express x1 connector is edge-free / multi-lane, x4, x8 and x16 PCIe Cards are also available.
- No drivers needed for this Duo PCI-E to M.2 Card Adapter
- Support Windows 2000/Server 2003/XP & XP 64-bit/Vista & Vista 64-bit/ 7 & 7 64-bit

### **Specification**

- PCI Express base Specification 1.1 (Up to 2.5Gpbs)
- M.2 Specification Revision 0.9 Socket 1
- Support 2230 M.2 Card dimension.
- Support M.2 Key A-E Card Type.
- Power Supply: 3.3V (For PCIe Slot, from Dupont 2PIN Cable), 12V (For PCIe, from SATA 15pin Cable)

#### **Requirements:**

M.2(NGFF) card slot (Socket 1)



## P11S-P11F\_P 2